Pool Heat Pump Design Strategies and Bay Area Resources

Version May 2021

Pool Heat Pump Strategies and Bay Area Resources

Table of Contents

Introduction	1
Pool Heat Pump Contractor Perspectives	2
Warranties	3
Sizing	5
Recommended Residential Heat Pump Pool Heater Products	6
Pool Covers	7
Additional Resources	8
Appendices and References	9
Endnotes	11

This document was written by Dylan Anderson and Sean Armstrong of Redwood Energy and brought to you by Peninsula Clean Energy and Silicon Valley Clean Energy, with the help of TRC Companies. For more information please visit **AllElectricDesign.org**.









Introduction

This technical guidance is directed at pool contractors, architects, educators, and program staff at relevant agencies, authorities having jurisdiction, and community choice energy programs. This guide is most appropriate for the single-family or smaller multifamily residential pool market, and touches on equipment sized for larger pools only briefly.ⁱ

This guide includes the results of interviews with four Bay Area swimming pool contractors who install heat pumps, including the products they sell and best practices for designing with heat pump pool heaters. This guide draws from product documentation to identify the best products for Bay Area climates.

While common world-wide and regionally in the U.S. (e.g. Florida, Hawaii), heat pump pool heaters are a growing market in the Bay Area due to the ~1% adoption of all-electric new construction in California from 2010-2019, according to SCE's internal review of building permits.ⁱⁱ As of spring of 2021, many Bay Area cities have adopted prohibitions or Code-based discouragements on installing natural gas infrastructure, making it necessary to provide technical assistance to designers who are supporting new construction of swimming pools.



Pool Heat Pump Contractor Perspectives

They are simpler: Heat pump pool heaters are relatively new to most contractors on the market in the Bay Area, but a common consensus is that heat pump pool heaters are simpler to install than gas pool heaters in new single-family construction because of the challenges of running gas lines compared to the simplicity of running a 40-Amp electrical wire in residential settings.

They work well: Heat pump pool heaters work well year-round, they can do both pool heating and pool cooling, and Hayward and AquaCal are the locally favored brands due to their contractor technical support. AquaCal is especially favored for integration into automatic pool covers. The AquaCal HeatWave SuperQuiet lives up to its name and is especially quiet. Large outdoor pools that are kept warm during the winter can use multiple standard heat pumps that are designed to be integrated together to meet the higher heating demand. Generally, these are plumbed in parallel, with a logic system for automation such as Hayward Omnilogic,ⁱⁱⁱ and no storage tank.

They cost less to operate: Heat pump pool heaters save pool owners on their utility bills compared to gas because they collect 5 or more units of heat for every 1 unit of electricity,^{iv} while gas pool heaters use 6 times as much energy, collecting only 0.8 to 0.9 units of heat for every 1 unit that is burned. See cost calculations in the Appendix for further detail.

Winter pools should be paired with efficiency measures: Pool covers dramatically reduce heat loss, and contractors also advocate for automatic pool covers. Floor return lines, which prevent stratification (cold water at the bottom of the pool and hot water at the top) are common in older pool designs and are an important efficiency measure. See the schematic in the Appendices.

More skilled contractors are needed in the pool industry: EPA 608 Technician^v Certification is recommended for pool contractors to service the refrigeration components of heat pump pool heaters, and indicates a level of training similar to HVAC professionals. There are workarounds, including partnering with an HVAC professional who has the certification, but that can add additional delays to the repair due to scheduling. EPA 608 is not necessary to install most new construction heat pump pool heaters, but is important to properly service the refrigerant lines or compressor over the course of its life.

Warranties

Most pool contractors will warranty their labor for longer than a year if they are able to be a part of the entire pool installation process, from digging the pool to the final check. This criterion allows the contractor to be more involved and to be sure that all aspects of the work – techniques, parts, and brands used onsite are to their internal specification. Automation of pool systems - which allows them to work on a schedule and for two heat pump units to work together - is much less expensive and but time-consuming to design when working within one manufacturer. Warranty information is provided in **Error! Reference source not found.** for a set of pool heat pump contractors, and **Error! Reference source not found.** for a set of pool heat pump manufacturers.

Company Name	Phone Number	Warranty Offered	Will they also service from the manufacturer warranty?
Pacific Radiant Heat 1039 Goettingen St, San Francisco, CA 94134	(415) 378- 4334	1 Year warranty on Labor and Materials	Yes
Canderle Pools 2803 Cabrillo Ave, Santa Clara, CA 95051	(408) 243- 1989	1 Year warranty on Labor	Yes
Hill's Pool Service 23 Edwards Ct, Burlingame, CA 94010	(650) 342- 2484	1 Year warranty on Labor	Yes
Excel Pool & Spa 1924 Plymouth St, Mountain View, CA 94043	(650) 961- 5888	90 days Labor Warranty	Yes

Table 1: Selected companies that responded to requests for a pool heat pump installation quote

	Heat Pump Poo	ol Heater War	ranty Periods		
Make	Model	Parts	Compressor	Labor ^{vi}	
AquaCal	<u>Heatwave</u> <u>SuperQuiet</u>	2 Years	10 Years	2 Years	
	TropiCal	2 Years	7 Years	2 Years	
	Great Big Bopper (Community Pool- sized)	2 Years	5 Years	2 Years	
Hayward	HP50A, HP50HA	1 Year	2 Years	1 Year	
	HeatPro	2 Years	5 Years (Labor for first 2)	1 Year	
Raypak	Crosswind Series	2 Years	Included in parts.	1 Year	
	<u>Models:</u> 2450, 3450, 4450, 5450, 6450, 8450 <u>Professional Series</u> <u>Models:</u> PS9350, PS9353, PS10353, PS10354, PS10355	7 Years	Included in parts.	2 Years	
Pentair	Ultratemp Heat Pumps	2 Years	10 Years	2 Years	
	Gas Pool H	eaters for Co	mparison		
Hayward Gas units	H150FD, H200FD, H250FD, H300FD, H350FD, H400FD & H500FD	1 Year	N/A, Gas Unit	1 Year	
Raypak Gas units (low NOx)	106, 156, 206A, 266A, 336A, 406A, 207A, 267A, 337A, 407A	2 Years, 1 Year if not Single Family	N/A, Gas Unit	2 Years, 1 Year if not Single Family	
Pentair	ETi [®] 400 High- Efficiency Heater	3 Years	N/A, Gas Unit	3 Years	
AquaCal	Does not manufacture gas heaters.	N/A	N/A	N/A	

 Table 2: Selected standard warranties by manufacturer. "Parts" as a category includes refrigeration components, which require EPA 608 Technician to replace.

Sizing

To right-size a heat pump pool heater, assume the heat pump must produce **4 to 6 BTUs/Hour for each gallon** of heated pool water, with higher productivity needed when the incoming water is colder in the winter.^{vii} Most heat pumps are sized for industry standard sized back yard pools, which often range between 10,000 to 35,000 gallons.^{viii} A 30,000 gallon swimming pool needs approximately 70 Amps at 240 Volts for the heat pump, lights, pump and filters. A swimming current pump will increase power needs to approximately 80 Amps.

Right-sized heat pump pool heaters are designed to run without interruption and can modulate their heat output to match both large and small demands. By contrast, gas-fueled pool heaters will cycle on and off to maintain the desired pool temperature, particularly during summer weather when only a small amount of heat is needed to maintain the pool temperature relative to winter use.

A given month's average soil and incoming water temperatures are equal to the average of the previous month's air temperature. If the average air temperature over the course of March is 60 degrees, the average inlet water temperature in April will be approximately 60 degrees. The temperature of public water sources in much of the Bay Area ranges from 50 to 70 degrees Fahrenheit over the year. A rule-of-thumb from pool heat pump manufacturers is that a well-sized pool heat pump can raise and maintain water temperatures at most 30 degrees above the source water temperatures. This guideline provides us a maximum **wintertime** pool water temperature of between 80 to 88 degrees in most of the Bay Area, which is sufficient for most pool owners.



AquaCal provides an excellent heat pump pool heater sizing estimator that also performs costof-use estimates: <u>https://www.aquacal.com/sizing-and-savings-calculator/</u>

POOL HEAT PUMP DESIGN STRATEGIES AND BAY AREA RESOURCES | 5

Recommended Residential Heat Pump Pool Heater Products

The products in Table 3 are vetted via Bay Area contractor interviews. The lowest operating outdoor temperature specification is based on conversations with manufacturers and has not been verified by the Air Conditioning, Heating, and Refrigeration Institute (AHRI) or other third-party testing programs. Operating any pool heater – including gas – below freezing will result in inconsistent heating output and reduced efficiency.

The key technology involved in heat pump operation at low temperatures is pairing an **inverter** with the compressor, which allows the compressor to operate at multiple speeds depending on the output needed due to environmental conditions. Inverter-compressor units are often called "Variable Speed" or "VS". For a larger pool, or for a hotter pool during the winter, pairing two of the same unit increases the total pool volume that the system can heat, and the heat pumps can be designed to communicate with each other to coordinate output.

	AquaCal <u>HeatWave</u> <u>SuperQuiet</u> <u>SQ166R ICEBREAKER</u>	AquaCal <u>Heatwave</u> <u>SuperQuiet Variable</u> <u>Speed</u> <u>SQ150VS</u>	Hayward <u>HeatPro VS</u> <u>Variable Speed</u>	Pentair <u>UltraTemp 110</u> <u>Heat Pump</u>
Unit Price	\$4,800	\$5,700	\$3,000	\$3,270
Heating Capacity (BTU/h)	126,000	115,000	90,000	108,000
Gallons Served per unit, at 5 BTU/h-gal	25,200	23,000	18,000	21,600
Inverter-driven compressor	YES	YES	YES	NO
Rated COP at 47F	5.6	5.0	5.1	5.8
Lowest Operating Weather Condition	25°F Air	25°F Air	30°F Air	45°F Water

 Table 3: Recommended residential heat pump pool heaters

Pool Covers

It's important to inform the client or customer that using a pool cover will not only save on pool cleaning, but it will **reduce energy bills** as well.

- Using a pool cover properly can halve the pool heat pump sizing by preventing heat from escaping.
- Pick a dark-colored, solid material for improved solar heat absorption.^{ix}
- Automatic pool covers are a convenient and aesthetic option.

Figure 1 shows an automatic pool cover, the AutoGuard Under Track, made by the brand Automatic Pool Covers. Pool covers can be aesthetically pleasing and functional.



Figure 1: The AutoGuard Under Track

Additional Resources

How to Install a Hayward HeatPro Heat Pump Pool Heater by InyoPools



> Watch the video

This Old House: How to Heat a Pool with an Air Conditioner



> Watch the video

Appendices and References

AquaCal Heat Pump Pool Heater Sizing and Cost Calculator Example^x

The example calculations from <u>AquaCal's pool sizing calculator</u> compare the same size pool with three types of covering: no pool cover, a liquid blanket product (<u>a fatty alcohol solution</u>), and a true vinyl pool cover. This allows one to see the relative effect of different types of pool covering on the cost savings, as well as the overall cost savings of switching to a heat pump pool heater from a gas-fired pool heater.

			SWIM	MING	POOL S		NG DATA PI	ROFILE	<u>.</u>				
···· ··· ··· ··· ··· ··· ··· ··· ··· ·			2	20 Ft. X 50 Ft.			ol Surface Are	ea:			1,000.0 Sq. Ft.		
Estimated Surf	face Area:		1,	1,000.0 Sq. Ft. Pool Volume:				3).0 Gal			
Average Depth	1:			5.0 Ft	t.	Wa	ater Weight:				312,3	375.0 l	bs.
Wind Condition	ns:			No					It takes	1 BTU to he	at 1 lb	of wa	ter 1°F
Femperature F	Rise Required	:		30° I	F	Dis			Temperat	tures Vary Dep	ending	on the	
lertz:				60 H:	Z		Seas	son.					
Source Water	Temperature	;		N/A	۱								
Jnit Type:			HEATW	AVE SL	JPERQUIE	Т	I						
PEAK M	ONTH HEA	TING RE	QUIRE	MENT	S		HEAT	WAVE	SUPE	RQUIET S	AVIN	IGS	
	Blanket	Aqua	Blanket	No Bla	anket	1)	(ear		Blanke	•t Aqua Bl	anket	No	Blanket
Heat Loss/Da	ay 6.0° F	9.0	D° F	15.0)°F		Gas Heating	Costs	\$8,000	.37 \$12,0	00.58	\$20	,000.95
BTU Req'd/Da	ay 1,874,25	0 2 81	1,375	4,685	625	Αqι	uaCal Heating		\$7,051	.61 \$10,5	77.41	\$17	,629.02
Peak Month	1,074,25	2,01	1,575	4,005	,025		AquaCal So		\$948.		23.17		,371.93
				1			Savings Pe	ercent	11.8		1.86%		11.86%
	<u>Qty</u> Mode			Qty M		5)	fear	_	Blanke				Blanket
Heat Pump(s) 1 SQ16	6R 1 S	Q166R	1 SC	2166R		Gas Heating						,004.75
Coldest Day	14.9 hrs	22.	3 hrs	37.2	hrs	Aqı	uaCal Heating AauaCal Sa		\$35,258. \$4.743		87.05		,145.10 .859.65
Max Run Tim	e						Savings Pe		34,743 11.8		1.86%		11.86%
Natural Gas C Ele			E \$1.2 \$0.2				Year Gas Heati AquaCal Heati AquaCal So Savings Po	ng Costs avings)3.70 \$120,0 6.10 \$105,7 .60 \$14,2	005.80 774.10	0 \$200 0 \$176 \$23	
		AVE	RAGE /	NONT	HLY HE	ATI	NG COST C				1.00%		11.00
1	Blanke	<i>t</i>		Aqua Bl	anket	No Blanket			Swim AVERAGE FIRST LAST CLIMAT				
н	EAT PUMP	GAS	HEAT F		GAS				c			I ACT	CLIMANT
11							HEAT PUMP	GA	5				
	\$849 59	5963 90	¢1 7	74 30	\$1 <i>44</i> 5	85	HEAT PUMP			MONTH	HALF	HALF	TEMP °I
January	\$849.59 \$736.31	\$963.90 \$835.38		74.39 04 47	\$1,445 \$1,253		HEAT PUMP \$2,123.98	\$2,4	09.75	MONTH January	HALF		TEMP °۱ 50.0
January February	\$736.31	\$835.38	\$1,1	04.47	\$1,253	.07	HEAT PUMP \$2,123.98 \$1,840.78	\$2,4 \$2,0	09.75 88.45	MONTH January February			TEMP ° 50.0 54.0
January February March	\$736.31 \$651.35	\$835.38 \$738.99	\$1,1 \$9	04.47 77.03	\$1,253 \$1,108	.07 .49	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38	\$2,4 \$2,0 \$1,8	09.75 88.45 47.48	MONTH January February March			TEMP 50.0 54.0 57.0
January February March April	\$736.31 \$651.35 \$594.71	\$835.38 \$738.99 \$674.73	\$1,1 \$9 \$8	04.47 77.03 92.07	\$1,253 \$1,108 \$1,012	.07 .49 .10	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,486.78	\$2,4 \$2,0 \$1,8 \$1,6	09.75 88.45 47.48 86.83	MONTH January February March April			TEMP ° 50.0 54.0
January February March April May	\$736.31 \$651.35 \$594.71 \$481.44	\$835.38 \$738.99 \$674.73 \$546.21	\$1,1 \$9 \$8 \$7	04.47 77.03 92.07 22.15	\$1,253 \$1,108 \$1,012 \$819	.07 .49 .10 .32	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,486.78 \$1,203.59	\$2,4 \$2,0 \$1,8 \$1,6 \$1,3	09.75 88.45 47.48 86.83 65.53	MONTH January February March April May			TEMP ° 50.0 54.0 57.0 59.0 63.0
January February March April May June	\$736.31 \$651.35 \$594.71 \$481.44 \$509.75	\$835.38 \$738.99 \$674.73 \$546.21 \$578.34	\$1,1 \$9 \$8 \$7 \$7	04.47 77.03 92.07 22.15 64.63	\$1,253 \$1,108 \$1,012 \$819 \$867	.07 .49 .10 .32 .51	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,486.78 \$1,203.59 \$1,274.39	\$2,4 \$2,0 \$1,8 \$1,6 \$1,3 \$1,4	09.75 88.45 47.48 86.83 65.53 45.85	MONTH January February March April May June			TEMP ° 50.0 54.0 57.0 59.0
January February March April May June July	\$736.31 \$651.35 \$594.71 \$481.44	\$835.38 \$738.99 \$674.73 \$546.21	\$1,1 \$9 \$8 \$7 \$7 \$7	04.47 77.03 92.07 22.15	\$1,253 \$1,108 \$1,012 \$819	.07 .49 .10 .32 .51 .12	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,486.78 \$1,203.59 \$1,274.39 \$1,132.79	\$2,4 \$2,0 \$1,8 \$1,6 \$1,3 \$1,4 \$1,4	09.75 88.45 47.48 86.83 65.53 45.85 85.20	MONTH January February March April May June July	HALF VVVV VVVV		TEMP ° 50.0 54.0 57.0 59.0 63.0 68.0
January February March April May June July August	\$736.31 \$651.35 \$594.71 \$481.44 \$509.75 \$453.12	\$835.38 \$738.99 \$674.73 \$546.21 \$578.34 \$514.08	\$1,1 \$9 \$8 \$7 \$7 \$6 \$6	04.47 77.03 92.07 22.15 64.63 79.67	\$1,253 \$1,108 \$1,012 \$819 \$867 \$771	.07 .49 .10 .32 .51 .12 .12	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,486.78 \$1,203.59 \$1,274.39	\$2,4 \$2,0 \$1,8 \$1,6 \$1,3 \$1,4 \$1,2 \$1,2	09.75 88.45 47.48 86.83 65.53 45.85	MONTH January February March April May June			TEMP ° 50.0 54.0 57.0 59.0 63.0 68.0 70.0
January February March April May June July August	\$736.31 \$651.35 \$594.71 \$481.44 \$509.75 \$453.12 \$453.12	\$835.38 \$738.99 \$674.73 \$546.21 \$578.34 \$514.08 \$514.08	\$1,1 \$9 \$8 \$7 \$7 \$6 \$6 \$6	04.47 77.03 92.07 22.15 64.63 79.67 79.67	\$1,253 \$1,108 \$1,012 \$819 \$867 \$771 \$771	.07 .49 .10 .32 .51 .12 .12 .15	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,486.78 \$1,203.59 \$1,274.39 \$1,132.79 \$1,132.79	\$2,4 \$2,0 \$1,8 \$1,6 \$1,3 \$1,4 \$1,2 \$1,2 \$1,2 \$8	09.75 88.45 47.48 86.83 65.53 45.85 85.20 85.20	MONTH January February March April May June July August			TEMP ° 50.0 54.0 57.0 59.0 63.0 68.0 70.0 70.0
January February March April May June July August September October	\$736.31 \$651.35 \$594.71 \$481.44 \$509.75 \$453.12 \$453.12 \$311.52	\$835.38 \$738.99 \$674.73 \$546.21 \$578.34 \$514.08 \$514.08 \$353.43	\$1,1 \$9 \$8 \$7 \$7 \$6 \$6 \$4 \$6	04.47 77.03 92.07 22.15 64.63 79.67 79.67 67.28	\$1,253 \$1,108 \$1,012 \$819 \$867 \$771 \$771 \$530	.07 .49 .10 .32 .51 .12 .12 .15 .12	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,486.78 \$1,203.59 \$1,274.39 \$1,132.79 \$1,132.79 \$778.79	\$2,4 \$2,0 \$1,8 \$1,6 \$1,3 \$1,4 \$1,2 \$1,2 \$1,2 \$8 \$1,2	09.75 88.45 47.48 86.83 65.53 45.85 85.20 85.20 83.58	MONTH January February March April May June July August September		HALF	TEMP ° 50.0 54.0 57.0 59.0 63.0 68.0 70.0 70.0 69.0
January February March April May June July August September October November	\$736.31 \$651.35 \$594.71 \$481.44 \$509.75 \$453.12 \$453.12 \$311.52 \$453.12	\$835.38 \$738.99 \$674.73 \$546.21 \$578.34 \$514.08 \$514.08 \$353.43 \$514.08	\$1,11 \$93 \$84 \$77 \$67 \$66 \$64 \$66 \$1,0	04.47 77.03 92.07 22.15 64.63 79.67 79.67 67.28 79.67	\$1,253 \$1,108 \$1,012 \$819 \$867 \$771 \$771 \$530 \$771	.07 .49 .10 .32 .51 .12 .12 .15 .12 .88	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,486.78 \$1,203.59 \$1,274.39 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79	\$2,4 \$2,0 \$1,8 \$1,6 \$1,3 \$1,4 \$1,2 \$1,2 \$1,2 \$1,2 \$1,2 \$2,0	09.75 88.45 47.48 86.83 65.53 45.85 85.20 85.20 83.58 85.20 83.58	MONTH January February March April May June July August September October			TEMP ° 50.0 54.0 57.0 59.0 63.0 68.0 70.0 70.0 69.0 64.0
January February March April May June July August September October November December	\$736.31 \$651.35 \$594.71 \$481.44 \$509.75 \$453.12 \$453.12 \$311.52 \$453.12 \$453.12 \$707.99	\$835.38 \$738.99 \$674.73 \$546.21 \$578.34 \$514.08 \$514.08 \$353.43 \$514.08 \$803.25 \$963.90	\$1,11 \$93 \$84 \$72 \$76 \$65 \$44 \$65 \$1,0 \$1,2	04.47 77.03 92.07 22.15 64.63 79.67 79.67 67.28 79.67 61.99 74.39	\$1,253 \$1,108 \$1,012 \$819 \$867 \$771 \$771 \$530 \$771 \$1,204	.07 .49 .10 .32 .51 .12 .12 .15 .12 .88 .85	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,628.38 \$1,203.59 \$1,274.39 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,769.98	\$2,4 \$2,0 \$1,8 \$1,6 \$1,3 \$1,4 \$1,2 \$1,2 \$1,2 \$1,2 \$2,0 \$2,4	09.75 88.45 47.48 86.83 65.53 45.85 85.20 85.20 83.58 85.20 08.13 09.75	MONTH January February March April May June July August September October November		HALF	TEMP ° 50.0 54.0 57.0 59.0 63.0 68.0 70.0 70.0 69.0 64.0 55.0
January February March April May June July August September October November December	\$736.31 \$651.35 \$594.71 \$481.44 \$509.75 \$453.12 \$453.12 \$311.52 \$453.12 \$707.99 \$849.59 7,051.61 \$1	\$835.38 \$738.99 \$674.73 \$546.21 \$578.34 \$514.08 \$353.43 \$514.08 \$353.43 \$514.08 \$803.25 \$963.90 B,000.37	\$1,11 \$9 \$8 \$77 \$60 \$60 \$60 \$1,0 \$1,2 \$10,57	04.47 77.03 92.07 22.15 64.63 79.67 79.67 67.28 79.67 61.99 74.39 77.41	\$1,253 \$1,108 \$1,012 \$819 \$867 \$771 \$530 \$771 \$1,204 \$1,445 \$12,000.	.07 .49 .10 .32 .51 .12 .12 .15 .12 .88 .85 .58	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,628.38 \$1,203.59 \$1,274.39 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,769.98 \$2,123.98 \$17,629.02	\$2,4 \$2,0 \$1,8 \$1,6 \$1,3 \$1,4 \$1,2 \$1,2 \$1,2 \$1,2 \$2,0 \$2,4 \$20,00	09.75 88.45 47.48 86.83 65.53 45.85 85.20 85.20 83.58 85.20 08.13 09.75 00.95	MONTH January February March April May June July August September October November December		HALF	TEMP ° 50.0 54.0 57.0 59.0 63.0 68.0 70.0 70.0 69.0 64.0 55.0
January February March April May June July August September October November December Totals \$	\$736.31 \$651.35 \$594.71 \$481.44 \$509.75 \$453.12 \$453.12 \$453.12 \$453.12 \$707.99 \$849.59 7,051.61 \$1 If your pool §	\$835.38 \$738.99 \$674.73 \$546.21 \$578.34 \$514.08 \$514.08 \$353.43 \$514.08 \$803.25 \$963.90 B,000.37 gets too ho	\$1,11 \$9 \$8 \$77 \$60 \$60 \$44 \$66 \$1,0 \$1,2 \$10,57 t in the	04.47 77.03 92.07 22.15 64.63 79.67 79.67 67.28 79.67 61.99 74.39 77.41	\$1,253 \$1,108 \$1,012 \$819 \$867 \$771 \$771 \$771 \$771 \$771 \$771 \$771 \$7	.07 .49 .10 .32 .51 .12 .12 .15 .12 .88 .85 .58 al's H	HEAT PUMP \$2,123.98 \$1,840.78 \$1,628.38 \$1,466.78 \$1,203.59 \$1,274.39 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,132.79 \$1,169.98 \$2,123.98 \$17,629.02 Heat'n'Cool he ther patterns without the states of the	\$2,4 \$2,0 \$1,8 \$1,6 \$1,3 \$1,4 \$1,2 \$1,2 \$1,2 \$1,2 \$2,0 \$2,4 \$20,00 at pump	09.75 88.45 47.48 86.83 65.53 45.85 85.20 85.20 83.58 85.20 08.13 85.20 08.13 90.75 90.95	MONTH January February March April May June July August September October November December	HALF		TEMP ° 50.0 54.0 57.0 59.0 63.0 68.0 70.0 69.0 69.0 64.0 55.0 50.0

*This applies to all Liquid Blanket products

Figure 2: Report generated by AquaCal heat pump pool heater sizing calculator with HeatWave SuperQuiet

Typical Pool System Schematic

Figure 3 is a schematic drawing of a pool plumbing system without a heater by PoolWarehouse. ^{xi} The pool heat pump would be plumbed in line after the filter and/or salt cell. Returns can be plumbed close to the bottom of the pool or on the floor of the pool so that the cooled water at the top of the pool sinks to the main drains and the warm water "rises" to prevent "stratification" – which means the warm water is only found at the top of the pool. Not only will this improve comfort, but it will mean that the pool is more efficiently heated.



Figure 3: Schematic drawing of a pool plumbing system without a heater by PoolWarehouse

Endnotes

ⁱ Larger pools require larger equipment such as the <u>Great Big Bopper</u>, or combining multiple residential units sized appropriately and compatibly.

ⁱⁱ SCE internal review of over 200,000 CF-1Rs, 2-Rs and 3-Rs, determining that only 1% were allelectric.

https://www.hayward-pool.com/shop/en/pools/omnilogic-i-auomni--1

^{iv} <u>https://s3.amazonaws.com/AWSProd/sites/raypakcom/documents/6000.56.pdf</u>

^v <u>https://www.epa.gov/section608/section-608-technician-certification-0</u>

^{vi} On Labor warranties, the installing contractor's time is paid for a set amount of hours based on what needs to be fixed.

vii Depending on factors such as relative humidity, temperature, sun exposure, and wind speed.

^{viii} For Homeowners wishing to estimate the amount of water in a pool, calculate the volume of the pool in cubic feet and convert it to US gallons. One cubic foot is equal to 7.48 US gallons. Generally, you can take the average of the shallowest and deepest depths, i.e. (3 + 8) / 2 = 5.5 feet. For more complicated pool shapes, use methods found <u>here</u>.

^{ix} <u>https://www.riverpoolsandspas.com/blog/swimming-pool-covers-the-good-the-bad-the-ugly</u>

* https://www.aquacal.com/sizing-and-savings-calculator/

^{xi} <u>https://www.poolwarehouse.com/swimming-pool-plumbing-diagrams/</u>